

### DP.C.3. Use of species and genetic status

	Not genetically altered	Genetically altered without a harmful phenotype	Genetically altered with a harmful phenotype	Total
Mice	140,594	27,222	10,155	177,971
Rats	36,383	631	266	37,280
Guinea-Pigs	2,659			2,659
Hamsters (Syrian)	292			292
Hamsters (Chinese)				
Mongolian gerbil				
Other Rodents	13			13
Rabbits	3,116			3,116
Cats	3			3
Dogs	370			370
Ferrets				
Other carnivores	3,347			3,347
Horses, donkeys & cross-breeds	181			181
Pigs	7,616	27		7,643
Goats	13			13
Sheep	78			78
Cattle	1,999			1,999
Prosimians				
Marmoset and tamarins				
Cynomolgus monkey				
Rhesus monkey				
Vervets Chlorocebus spp.				
Baboons				
Squirrel monkey				
Other species of New World Monkeys (Ceboidea)				
Other species of Old World Monkeys (Cercopithecoidea)				
Other species of non-human primates				
Apes				
Other Mammals	29			29
Domestic fowl	2,283			2,283
Other birds	559			559
Reptiles	155			155
Rana	809			809
Xenopus	1,389			1,389
Other Amphibians	94			94
Zebra fish	566	2,111		2,677

### DP.C.3. Use of species and genetic status

	Not genetically altered	Genetically altered without a harmful phenotype	Genetically altered with a harmful phenotype	Total
Other Fish	11,888			11,888
Cephalopods				
Total	214,436	29,991	10,421	254,848

### DP.C.3. Use of species and genetic status

