

DP.C.3. Use of species and genetic status

	Not genetically altered	Genetically altered without a harmful phenotype	Genetically altered with a harmful phenotype	Total
Mice	139,057	23,242	5,400	167,699
Rats	36,849	886	42	37,777
Guinea-Pigs	3,913			3,913
Hamsters (Syrian)	6			6
Hamsters (Chinese)				
Mongolian gerbil				
Other rodents	33			33
Rabbits	2,304			2,304
Cats	1			1
Dogs	379			379
Ferrets				
Other carnivores	3,843			3,843
Horses, donkeys and cross-breeds	51			51
Pigs	8,607	18	18	8,643
Goats	51			51
Sheep	18			18
Cattle	1,185			1,185
Prosimians				
Marmoset and tamarins				
Cynomolgus monkey				
Rhesus monkey				
Vervets (<i>Chlorocebus</i> spp.)				
Baboons				
Squirrel monkey				
Other species of Old World Monkeys (<i>Cercopithecoidea</i>)				
Other species of New World Monkeys (<i>Ceboidea</i>)				
Apes				
Other mammals	42			42
Domestic fowl	1,269			1,269
Other birds	439			439
Reptiles	53			53
Rana	452			452
Xenopus	391			391
Other amphibians	72			72
Zebra fish	466	4,191		4,657
Other fish	24,742			24,742
Cephalopods				

DP.C.3. Use of species and genetic status

	Not genetically altered	Genetically altered without a harmful phenotype	Genetically altered with a harmful phenotype	Total
Total	224,223	28,337	5,460	258,020

DP.C.3. Use of species and genetic status

